

To: Harris, Michael[harris.michael@epa.gov]
Cc: Egan, Robert[egan.robert@epa.gov]
From: Kamke, Sherry
Sent: Thur 7/14/2016 3:04:00 PM
Subject: FW: Tower Standard Estimate

Mike,

I got a text from Bob yesterday around 3pm that he and Kristin were able to talk to Bristol about the work to be done as outlined in the narrative work plan and they came to agreement on it. Bob has left a message with Christine in OUST to go ahead with the funding because the revisions made by Bristol looked good.

Now, the ball is in Christine's court. Christine has said that they would do everything possible to expedite. I will check to make sure that they have what they need so that you can start checking with Raoul.

Sherry

From: Kamke, Sherry
Sent: Monday, July 11, 2016 1:41 PM
To: Harris, Michael <harris.michael@epa.gov>
Cc: Victorine, Gary <victorine.gary@epa.gov>
Subject: FW: Tower Standard Estimate

Mike,

I just go word that the cost estimate and narrative (I suppose) has been received by OUST and copied to Bob. He has to review it to determine if it is acceptable. If it is, we tell Christine to fund it and then Raoul's shop would get it.

Sherry

From: Edwards, Christine
Sent: Monday, July 11, 2016 1:39 PM
To: Kamke, Sherry <Kamke.Sherry@epa.gov>
Cc: Egan, Robert <egan.robert@epa.gov>
Subject: Tower Standard Estimate

Sherry,

I just wanted to let you know that we received the estimate from Bristol a few minutes ago. Bob has a copy, and I will be working on this end to get the funding committed so the task order can be awarded quickly.

Thanks,

Christine

Environmental Protection Agency
Office of Underground Storage Tanks
Management & Communications Division
1200 Pennsylvania Avenue, NW
MC 5401R
Washington, DC 20460
(202) 564-2182
Edwards.Christine@epa.gov